| 126      | T    |  | T                  | Ι                   |         |                  |
|----------|------|--|--------------------|---------------------|---------|------------------|
| Ref<br># | Hits | Search Query   | DBs                | Default<br>Operator | Plurals | Time Stamp       |
| L1       | 817  | @ay<"2001" and (router with (ssid or broadcast or advertisement))  | US-PGPUB;<br>USPAT | OR                  | ON      | 2005/06/12 19:26 |
| L2       | 35   | @ay<"2001" and ((filter\$4) with (router with (ssid or broadcast or advertisement)))   | US-PGPUB;<br>USPAT | OR .                | ON      | 2005/06/12 19:28 |
| L3       | 0    | @ay<"2001" and ((filter\$4) with (router with (ssid)))   | US-PGPUB;<br>USPAT | OR                  | ON      | 2005/06/12 19:33 |
| L4       | 1    | @ay<"2001" and (((pc or client or<br>host or computer or workstation)<br>near filter\$4) with (router with<br>(ssid or broadcast or<br>advertisement)))                                  | US-PGPUB;<br>USPAT | OR                  | ON      | 2005/06/12 19:37 |
| L5       | 1    | @ay<"2001" and (((pc or client or<br>host or computer or workstation)<br>near (filter\$4 or block\$4 or<br>prevent\$4)) with (router with (ssid<br>or broadcast or advertisement)))      | US-PGPUB;<br>USPAT | OR ·                | ON      | 2005/06/12 19:38 |
| L6       | 9    | @ay<"2001" and (((pc or client or<br>host or computer or workstation)<br>near2 (filter\$4 or block\$4 or<br>prevent\$4)) with (router with (ssid<br>or broadcast or advertisement)))     | US-PGPUB;<br>USPAT | OR                  | ON      | 2005/06/12 19:38 |
| L7       |      | @ay<"2001" and "709".clas. and (((pc or client or host or computer or workstation) near2 (filter\$4 or block\$4 or prevent\$4)) with (router with (ssid or broadcast or advertisement))) | US-PGPUB;<br>USPAT | OR<br>              | ON      | 2005/06/12 19:39 |
| L8       |      | @ay<"2001" and "709".clas. and (((pc or client or host or computer or workstation) with (filter\$4 or block\$4 or prevent\$4)) with (router with (ssid or broadcast or advertisement)))  | US-PGPUB;<br>USPAT | OR                  | ON      | 2005/06/12 19:41 |
| L9       | 0    | @ay<"2001" and "709".clas. and ((filter\$4 or block\$4 or prevent\$4) with (ssid or broadcast or advertisement)) and (unauthorized with router)  | US-PGPUB;<br>USPAT | OR                  | ON      | 2005/06/12 19:41 |
| L10      | 0    | @ay<"2001" and ((filter\$4 or block\$4 or prevent\$4) with (ssid or broadcast or advertisement)) and (unauthorized with router)  | US-PGPUB;<br>USPAT | OR                  | ON      | 2005/06/12 19:42 |
| S1       | . 8  | @ay<"2001" and (ICMP or "internet control message protocol") and (IRDP or "router discovery protocol") not (boeing). as.   | US-PGPUB;<br>USPAT | OR                  | OFF     | 2004/11/11 19:46 |

|    |     |  | T                  |    | r   |                  |
|----|-----|--|--------------------|----|-----|------------------|
| S2 | 7   | @ay<"2001" and (ICMP or "internet control message protocol") and (IRDP or "router discovery protocol") and routers not (boeing).as.  | US-PGPUB;<br>USPAT | OR | OFF | 2004/11/11 19:46 |
| S3 | 1   | @ay<"2001" and (ICMP or "internet control message protocol") and (IRDP or "router discovery protocol") and (backup with routers) not (boeing).as.  | US-PGPUB;<br>USPAT | OR | OFF | 2004/11/11 19:49 |
| S4 | 3   | @ay<"2001" and (ICMP or "internet control message protocol") and (IRDP or "router discovery protocol") and ((backup or redundan\$5 or safety or insur\$5 or prevent\$9) with routers) not (boeing).as.                                   | US-PGPUB;<br>USPAT | OR | OFF | 2004/11/11 19:54 |
| S5 | 0   | @ay<"2001" and (ICMP or "internet control message protocol") and (IRDP or "router discovery protocol") and ((backup or redundan\$5 or safety or insur\$5 or prevent\$9) with routers) and ("packet filter" or firewall) not (boeing).as. | US-PGPUB;<br>USPAT | OR | OFF | 2004/11/11 19:54 |
| S6 | 3   | @ay<"2001" and (ICMP or "internet control message protocol") and (IRDP or "router discovery protocol") and ((backup or standby or redundan\$5 or safety or insur\$5 or prevent\$9) with routers) not (boeing).as.                        | US-PGPUB;<br>USPAT | OR | OFF | 2004/11/11 19:57 |
| S7 | 333 | @ay<"2001" and ((backup or<br>standby or redundan\$5 or safety<br>or insur\$5 or prevent\$9) with<br>routers) not (boeing).as.   | US-PGPUB;<br>USPAT | OR | OFF | 2004/11/11 19:57 |
| S8 | 37  | @ay<"2001" and (ICMP or "internet control message protocol") and ((backup or standby or redundan\$5 or safety or insur\$5 or prevent\$9) with routers) not (boeing).as.  | US-PGPUB;<br>USPAT | OR | OFF | 2004/11/11 19:59 |
| S9 | 6   | @ay<"2001" and (ICMP or "internet control message protocol") and ((backup or standby or redundan\$5 or safety or insur\$5 or prevent\$9) with routers) and ("packet filter" or firewall) not (boeing).as.                                | US-PGPUB;<br>USPAT | OR | OFF | 2004/11/11 19:59 |

|     |     | ,   |                    |    |     | T                |
|-----|-----|---|--------------------|----|-----|------------------|
| S10 | 44  | @ay<"2001" and ((backup or<br>standby or redundan\$5 or safety<br>or insur\$5 or prevent\$9) with<br>routers) and ("packet filter" or<br>firewall) not (boeing).as.   | US-PGPUB;<br>USPAT | OR | OFF | 2004/11/11 20:00 |
| S11 | 0   | @ay<"2001" and ((backup or standby or redundan\$5 or safety or insur\$5 or prevent\$9) with routers) and (("packet filter" or firewall) with ("type 9" or "type 10")) not (boeing).as.  | US-PGPUB;<br>USPAT | OR | OFF | 2004/11/11 20:01 |
| S12 | 0   | @ay<"2001" and ((backup or standby or redundan\$5 or safety or insur\$5 or prevent\$9) with routers) and (("packet filter" or firewall) with ("type 9" or "type 10" or advertisement or solicitation)) not (boeing).as.   | US-PGPUB;<br>USPAT | OR | OFF | 2004/11/11 20:02 |
| S13 |     | @ay<"2001" and ((backup or standby or redundan\$5 or safety or insur\$5 or prevent\$9) with routers) and (("packet filter" or firewall) and ("type 9" or "type 10" or advertisement or solicitation)) not (boeing).as.  | US-PGPUB;<br>USPAT | OR | OFF | 2004/11/11 20:13 |
| S14 | 7   | @ay<"2001" and (hdrp or "hot standby routing protocol") not (boeing).as.  | US-PGPUB;<br>USPAT | OR | OFF | 2004/11/11 20:14 |
| S15 | 0   | @ay<"2001" and (hdrp or "hot<br>standby routing protocol") and<br>"packet filter" not (boeing).as.  | US-PGPUB;<br>USPAT | OR | OFF | 2004/11/11 20:14 |
| S16 | 7   | @ay<"2001" and (hdrp or "hot<br>standby routing protocol") not<br>(boeing).as.  | US-PGPUB;<br>USPAT | OR | OFF | 2004/11/11 20:28 |
| S17 | 878 | @ay<"2001" and ((standby or backup or redundan\$5 or safe\$3 or precaution\$5 or insuranc\$4 or prevent\$5) with router) not (boeing).as.   | US-PGPUB;<br>USPAT | OR | OFF | 2004/11/11 20:30 |
| S18 | 76  | @ay<"2001" and ((standby or backup or redundan\$5 or safe\$3 or precaution\$5 or insuranc\$4 or prevent\$5) with router) and ((filter\$4 or block\$4 or prevent\$4) with (broadcast\$4 or advertis\$5 or solicitat\$7 or "type 9" or "type 10")) not (boeing).as. | US-PGPUB;<br>USPAT | OR | OFF | 2004/11/11 20:31 |

| S19 | 35 | @ay<"2001" and ((standby or backup or redundan\$5 or safe\$3 or precaution\$5 or insuranc\$4 or prevent\$5) with routers) and ((filter\$4 or block\$4 or prevent\$4) with (broadcast\$4 or advertis\$5 or solicitat\$7 or "type 9" or "type 10")) not (boeing).as.   | US-PGPUB;<br>USPAT | OR | OFF | 2004/11/11 20:31 |
|-----|----|--|--------------------|----|-----|------------------|
| S20 | 10 | @ay<"2001" and ((standby or backup or redundan\$5 or safe\$3 or precaution\$5 or insuranc\$4 or prevent\$5) with routers) and ((filter\$4 or block\$4 or prevent\$4) with (broadcast\$4 or advertis\$5 or solicitat\$7 or "type 9" or "type 10")) and (ICMP or "internet control message protocol") not (boeing).as. | US-PGPUB;<br>USPAT | OR | OFF | 2005/03/23 20:36 |
| S21 | 1  | "5473599".pn.  | US-PGPUB;<br>USPAT | OR | OFF | 2005/06/12 17:12 |
| S22 | 2  | @ay<"2001" and ((host or client<br>or pc or computer or workstation)<br>with (filter or block) with (router)<br>with (broadcast or advertisement))   | US-PGPUB;<br>USPAT | OR | OFF | 2005/06/12 17:14 |
| S23 | 2  | @ay<"2001" and ((host or client<br>or pc or computer or workstation)<br>with (filter) with (router) with<br>(broadcast or advertisement))  | US-PGPUB;<br>USPAT | OR | ON  | 2005/06/12 17:28 |
| S24 | 7  | @ay<"2001" and ((host or client<br>or pc or computer or workstation)<br>with (filter or block\$4) with<br>(router) with (broadcast or<br>advertisement))   | US-PGPUB;<br>USPAT | OR | ON  | 2005/06/12 17:28 |
| S25 | 18 | @ay<"2001" and ((host or client<br>or pc or computer or workstation)<br>with (filter\$4 or block\$4) with<br>(router) with (broadcast or<br>advertisement))  | US-PGPUB;<br>USPAT | OR | ON  | 2005/06/12 17:28 |
| S26 | 13 | @ay<"2001" and ((host or client<br>or pc or computer or workstation)<br>with (filter\$4) with (router) with<br>(broadcast or advertisement))   | US-PGPUB;<br>USPAT | OR | ON  | 2005/06/12 17:31 |
| S27 | 18 | S25 not "I6"   | US-PGPUB;<br>USPAT | OR | ON  | 2005/06/12 17:30 |
| S28 | 18 | S25 not "I5"   | US-PGPUB;<br>USPAT | OR | ON  | 2005/06/12 17:30 |
| S29 | 5  | S25 not S26  | US-PGPUB;<br>USPAT | OR | ON  | 2005/06/12 17:30 |

| S30 | 14   | @ay<"2001" and ((host or client<br>or pc or computer or workstation)<br>with (filter\$4 or prevent\$4) with<br>(router) with (broadcast or<br>advertisement))         | US-PGPUB;<br>USPAT | OR | ON | 2005/06/12 17:45 |
|-----|------|---|--------------------|----|----|------------------|
| S31 | 1    | S30 not S26   | US-PGPUB;<br>USPAT | OR | ON | 2005/06/12 17:31 |
| S32 | 14   | @ay<"2001" and ((host or client<br>or pc or computer or workstation)<br>with (filter\$4 or prevent\$4) with<br>(router) with (broadcast or<br>advertisement or ssid)) | US-PGPUB;<br>USPAT | OR | ON | 2005/06/12 17:45 |
| S33 | 0    | @ay<"2001" and ((router with ssid) with (filter\$4 or prevent\$4 or block\$4))  | US-PGPUB;<br>USPAT | OR | ON | 2005/06/12 17:46 |
| S34 | 68   | @ay<"2001" and ((router with (ssid or broadcast or advertisement)) with (filter\$4 or prevent\$4 or block\$4))  | US-PGPUB;<br>USPAT | OR | ON | 2005/06/12 17:46 |
| S35 | . 15 | @ay<"2001" and (((router with<br>(ssid or broadcast or<br>advertisement)) with (filter\$4 or<br>prevent\$4 or block\$4)) with (client<br>or computer or pc))          | US-PGPUB;<br>USPAT | OR | ON | 2005/06/12 19:25 |